CONRADSHIPYARD

Conrad Classic 58

general specification

EDITION 02/2010

March 2010

builder

Conrad Shipyard
Gdańsk, Poland

1. General

1.1. The yacht

Conrad Classic 58 has been designed as a classic, true traditional style motor yacht. She has steel hull and deckhouse and decorated with teak wheelhouse. Stylish stainless or chromed fittings add for a classic image of the yacht. Rich and best quality only equipment and arrangements make her a comfortable yacht for a true gentleman and provide a touch of luxury on board. Twin engines and a bow-thruster make her very easy to handle in crowded marinas.
Big tank volumes provide range exceeding 2000Nm what makes Conrad Classic 58 perfect for middle range cruising on Baltic and Mediterranean Sea as well as for long range cruising on Ocean waters. The hull construction has been calculated according to Lloyd`s Register Rules and Regulations for an operating range G6.

1.2. Main characteristics

Length Overall	Loa	17.68	m
Length Waterline	Lwl	15.80	m
Beam (moulded)	B	4.70	m
Freeboard (min)	Fb	0.89	m
Draft	T	1.75	m
Displacement	D	34.9	t
Speed (cruising/max)	v	8.5/10.00	kn
Tanks volumes	fuel tanks	5 980	l
	fresh water tanks	5 236	l
	sewage tank	569	l
Main Engines	Yanmar 4JH3-DTHE	2 x 125	HP
Generator	Mastervolt Whisper 16 Ultra	16	kW
Naval design	Yacht Studio Strawiński		
Interior design	Conrad Team		
Classification	Lloyd's Register 100 A1 SSC Yacht Mono G6 hull class		
	CE category A certificate issued by LRS		

2. Hull & superstructure

2.1. Hull

The hull is fully welded of shipbuilding grade mild steel. Round bilge shallow draft hull with dumb prow and a long classic aft overhang. Nicely concave sheer-line and a rounded stern for a classic look. Watertight engine room provides space for generator, pumps and air condition unit. Behind the engine room there is a watertight afterpeak containing gangway (optional) and rudder arrangement.

Main scantlings:

Poszycie części nadwodnej	4 mm
Poszycie dna	4 mm & 5 mm
Wręgi	FB 100x8 odstęp wręgowy 800 mm
Wzdłużniki	FB 40x5 odstęp 300 mm
Poprzeczne wręgi denne	pl. 5 mm FL 50x5
Wzdłużniki denne	pl. 5 mm FL 50x5

2.2. Superstructure

Superstructure and wheelhouse built of marine grade mild steel. Window coamings, companionway coamings are built of stainless steel for corrosion reduction.
Wheelhouse with teak trimming, equipped with two sliding doors – one each side, and a companionway sliding hatch aft leading to the flybridge.

3. Main engines & propulsion

Twin main engines Yanmar 4HJ3-DTHE (125 HP) with KMH4A1 gearboxes are installed aft. The engines are connected to KMH4A1 reverse gearboxes and placed on elastic mounts..
Two 40mm shaft lines with 5-bladed propellers from Amartech.

4. Rudder arrangements

Twin profiled spade rudders welded right behind the propellers for better efficiency. Hydraulic rudder machine from Vetus, three control positions: main in the wheelhouse and two wing stations on flybridge. Additional maneuverability can be provided by bow thruster.

5. Anchor & mooring

5.1. Anchor arrangement
Toplicht 50 kgs main anchor placed in a stainless steel hawse pipe welded in the centerline against the stem. The anchor is equipped with 110 m of 12 mm anchor chain. Electric anchor windlass operated from the wheelhouse. Spare anchor stored in the aft-ship.

5.2. Mooring Equipment.
The yacht is provided with eight stainless steel custom made mooring bollards and eight stainless steel custom made mooring oval fairleads installed in the bulwark. Classic stainless steel or good quality chromed fittings throughout the vessel. Custom built round fairleads of stainless steel pipe are welded in the centerline of bow bulwark for towing purposes.

6. Deck equipment

6.1. Hatches, windows, companionway & outside doors
Depending upon the option yacht can be equipped with traditional teak skylights where the opening flap is Foresti & Suardi brass chromed hatch (6 or 7 units).
Big windows are built of thermo-glass double layer with 6 mm gap between the panes. The glass is glued into a recess in the construction and (depending on the option) finished with mahogany varnished frames.

Glass thickness:

- Wheelhouse front windows: 10 mm tempered+ 6 mm gap + 2x3 mm
- Wheelhouse side windows: 2x3 mm + 6 mm gap + 2x3 mm
- Superstructure sides and aft: 2x3 mm + 6 mm gap + 2x3 mm

Front wheelhouse windows are equipped with electric wipers.

6.2. Bulwark , stormrail & handgrips
The deck is surrounded with a steel bulwark which is raised fore and aft. The bulwark is capped with a teak rail-cap, traditional storm-rail stanchions in stainless steel with a teak rail-cap on top. Middle line stainless steel wire. Both sides in the aft part of the yacht are opening parts to access bathing ladder and tender. Basic version of the yacht is equipped with stanchions and steel rope only, while Classic version contains teak rail-caps (not varnished).

6.3. Teak deck & gratings
Depending on the version main deck and fly bridge can be covered with anti-sliding paint or, partly or fully, with teak planks glued with Sikaflex system. Roof covered with anti-sliding paint.

6.4. Deck tables, benches

All deck benches are built in teak, verticals and trimming can be varnished, the seats remain unpainted. Benches aft and fore are hinged and can be flapped up to provide access for mooring. The benches at fly bridge contain lockers under the seats.
Space for loose teak furniture (table & 6 chairs) provided under the bimini. Quantity of benches and finishing depend on the version.

6.5. Mast , funnel, tender crane

Fiberglass funnel with stainless steel decoration fittings gives truly traditional look. Behind the funnel and attached to it there is stainless steel pipe mast with stainless steel wire shrouds.
Funnel can be equipped with hydraulic lifting system to provide lower total height of the vessel allowing easy passage under low bridges when sailing on the river.

Mast of the yacht can be provided with satin varnished teak boom completely rigged for tender launching. In Classic version there is optional tender launching boom with wooden blocks and small capstan (standard in Royal version). Than small classic GRP rowboat finished with teak is stowed on the cradle mounted on the superstructure roof with stainless fittings and deck-plates for tender lashing.

6.6. Bimini, camels & gangway

In Royal version (optional in Classic) entire area of the aft deck is covered with a bimini installed between two elegant camels. The camels are built of stainless steel pipes and stainless steel fittings. Tops of the camels are in varnished teak increasing classic look of the boat.
Thanks to hydraulic gangway and side ladder boarding is easy in every condition.

7. Painting System

7.1. Topsides: faired and painted with International system, color: Mauritius, high gloss.
7.2. Underwater body painted with International barrier and antifouling system, color: black.
7.3. Main deck under teak system by Sikalfex, or covered with anti-sliding paint.
7.4. Steel superstructure vertical walls: faired and painted International system, color: Oyster, high gloss.
7.5. Steel construction inside epoxy, color: cream .
7.6. Teak trimming outside varnished with International varnish, high gloss/satin or unpainted (depending on the version).
7.7. Funnel, Reichhold system for fiberglass, color yellow, high gloss.
7.8. FW tanks, sewage tank inside, International epoxy for tanks.

8. Interior equipment & furniture

8.1. General

The yacht has three cabins (one double Owner and two double/twin Guest cabins) with extra bathrooms with showers, galley adjacent to main saloon and wheelhouse.

All furniture and interiors are in traditional classic style emphasized additionally by furniture upholstery. The furniture and wall paneling built in mahogany, satin finish with cream satin finish panels and mahogany satin or high gloss trim depending on the option.
Bathrooms and galley equipped with Staron, marble or granite tops (depending on the option) and proper ornamentations. Best quality joinery, in higher versions connected with finest classic fittings and accessories provide atmosphere of real comfort onboard.
Depending on the version floors in the wheelhouse, corridor and main saloon can be finished with holy teak plywood, carpet or laminate and cabin floors covered with carpet. Varnished or raw teak gratings in bathrooms. All ceilings with beams wooden construction, underside of plywood painted cream, beams and stringers varnished.

Upon request cabins in higher versions of the boat can be equipped with rich set of domestic appliances and package of entertainment equipment what makes owner and his guests really enjoy long trips as well as everyday life onboard.

8.2. Cabin equipment

8.2.1. Owners cabin (fore ship)

- king-size bed with lockers or drawer and lockers underneath
- (optional) work desk with built-in TV pop-up system & pouffe
- shelves on the sides of bed
- 4 traditional ceiling lamps
- 2 hanged & 2 standing reading lamps by the bed
- 8 spotlights
- tall lockers/wardrobes on PS & SB
- (optional) CD-DVD player (car type) + speakers
- 2x 230V socket
- (optional) heating or/and air-conditioning unit & controls

8.2.2. Owners bathroom

- toilet or toilet & bidet
- 1 or 2 ceramic washbasins
- Staron, marble or granite wash top with mirror above (depending on the version)
- (optional) locker under washbasin top
- shower cabin with drain
- 3 ceiling lamps
- 5 spotlights
- 3x 230V socket
- linen locker above the wash top level & large locker by the stairs
- teak shower grating
- (optional) washing machine
- set of bathroom accessories

8.2.3. Wheelhouse

- 1x double & 1x single seats for guests
- helmsman console
- (optional) railing or pilot seat
- navigation table with a locker and large drawer underneath
- navigation table lamp
- steps to forward cabin optionally equipped with 4 lockers under
- steps to corridor aft with optionally with 4 lockers under
- steps to flybridge up
- handgrips along the steps
- 3 traditional ceiling lamps
- ceiling night lamp (red)
- (optional) CD player (car type) + speakers
- electric switchboard locker
- 230V socket
- optional heating or/and air-conditioning unit & controls

8.2.4. Corridor

- 3 traditional ceiling lamps

8.2.5. Guest cabin I (SBS)
- 2 single beds with lockers under
- wardrobe/locker
- night cabinet between the beds
- 2 traditional ceiling laps
- 2 reading lamps by the beds
- (optional) window blinds
- 230V socket
- optional heating or/and air-conditioning unit & controls

8.2.6. Guest bathroom I (access from Guest I cabin & corridor)
- toilet
- ceramic washbasin
- Staron, marble or granite wash top with mirror above
- locker under washbasin top
- shower with teak grating and drain
- 1 ceiling lamp
- 3 spotlights
- 230V socket
- set of bathroom accessories

8.2.7. Guest cabin II (PBS)
- 2 single beds with lockers under
- wardrobe/locker
- night cabinet between the beds
- 2 traditional ceiling laps
- 2 reading lamps by the beds
- window blinds
- 230V socket
- (optional) heating or/and air-conditioning unit & controls

8.2.8. Guest bathroom II
- toilet
- ceramic washbasin
- Staron, marble or granite wash top with mirror above (depending on the version)
- locker under washbasin top
- shower with teak grating and drain
- 1 ceiling lamp
- 3 spotlights
- 230V socket
- set of bathroom accessories

8.2.9. Galley
- Staron or granite worktop with lockers and drawers underneath (optional)
- stainless steel sink
- 2 or 4-burner ceramic hob
- Fridge
- (optional) freezer
- (optional) electric oven or electric oven with microwave
- (optional) dishwasher
- galley extractor
- (optional) stainless steel top-loading locker under worktable
- (optional) 1 or 2 hanging cabinets

- 1 traditional ceiling lamp & 7 spotlights
- (optional) window blinds
- 2x 230V socket

8.2.10. Main saloon

- c-shaped sofa with lockers under, 2x armchairs separated with lockers and optionally 2x pouffes
- folding swivel dining/coffee table
- steps inside yacht – main companionway
- (optional) locker by the steps
- (optional) 3x drawers under aft windowsill
- handgrips by steps stainless steel/teak
- (optional) window blinds
- (optional) media locker incorporating LCD TV (pop-up lifting) & DVD player (car type)
- 6 traditional ceiling lamps
- 8 spotlights
- 2x 230V socket
- (optional) heating or/and air-conditioning unit & controls

9. Ventilation & air conditioning

Optionally yacht can be equipped with heating system or air-conditioning system. Central unit of capacity of 54.000 BTU supplies then conditioned air to all cabins, salon and wheelhouse. The system working "in reverse" can be used also for heating of the interior during cold weather conditions. Natural ventilation is by a set of stainless steel ventilation cowls with dorade boxes (option). Bathrooms are additionally ventilated with electric extractor fans by stainless steel grills with water traps.

10. Piping Systems

10.1. Fresh water system

Two integral fresh water tanks provide 5 236 liters of fresh water. Hot water onboard is being supplied by two electric water heaters. Connections needed for future installation of watermaker are provided.

10.2. Sea-water system

Sea-water system provides sea-water for cooling purposes of the engines, generator, air condition, and for firefighting system.

10.3. Sewage system

The integral holding tank has a capacity of 569 liters.

10.4. Bilge and Fire-fighting System

The boat is divided into following watertight sections:

- Fore – ship
- Main engine-room
- Aft ship

One big electric bilge pump placed in the engine-room pumps out the bilge-water of all the section and serves also alternatively as a fire-fighting pump. There is a quick-release hose connection in the deck locker over the engine room. The main bilge pump manifold is placed in the engine-room. Spare manual bilge pump is placed in a locker accessible from deck. Besides

that all watertight sections are provided with small electric submersible pumps working in automatic mode.

11. Electrical installation

Main electrical installation is 24V DC. Besides that each cabin, main saloon, navigation area, galley area and main engine-room are equipped with 230V AC sockets. Main energy source for 24 V DC are two service battery bunks up to 580Ah each (depending on chosen options). The batteries can be recharged by battery charger supplied by generator or 32A shore connection. The separate 160Ah starting batteries for generator and main engines are charged directly from alternators suspended on the engines. 230V AC circuits are supplied alternatively by the generator, shore connection or batteries via inverter 24V/230V - 5000W (subject to chosen design line). Two 24V 65Ah emergency batteries are provided for navigation equipment operation.

12. Insulation

The general thermal insulation is placed over the steel construction of deck and topsides in living areas. The insulation is made of mineral wool covered with aluminum foil (Rockwool).
A60 class insulation on forward bulkhead of the engine room plus additional acoustic insulation made of mineral wool covered with aluminum foil.

13. Equipment & finishing characteristics – optional design lines

13.1 Standard version – tug yacht

The most practical, simple version of finishing, interior standard and installed equipment allows the easiest possible yacht maintenance. Boat is faired and painted in yacht standard but free from all wooden decorations outside and amount of decorative stainless and chromed parts is reduced to minimum in order to limit laborious maintenance. Interior is finished in traditional style but without high-gloss painted parts, with floor carpet covering in cabins and saloon and laminated floors in galley and wheelhouse (artificial holy plywood). Furniture fronts made of mahogany plywood with vents where needed. Galley and bathroom tops covered with Staron.

Price of the yacht in standard as per the table below is **970.000** € net.

13.2 Classic version – elegant yacht

Elegantly equipped vessel with numerous classic decorative wooden elements outside – trimming teak stripes on the superstructure and wheelhouse roof. Bulwarks and railings on the main deck ended with teak stripe, hatches seated on classic teak boxes, wooden rub strake emphasizing line of the yacht, main deck covered with teak, back-rests of the benches and windshield covered with vertical teak planks. Additional wing station on the starboard allows control of the boat also from the fly bridge.
Satin dark hull (to owner's choice) and gloss painted wheelhouse.
In Classic version interior finish and outfit standard guarantee comfortable cruising and living onboard. Additional lockers and furniture, classic panels on wardrobes, marble bathroom tops in connection with noble and stylish details and accessories decide about exceptionally elegant and timeless character of this yacht.

Price of the yacht in standard as per the table below is **1.140.000** € net.

13.3 Royal version – luxurious yacht.

This most exclusive version of the yacht provides a touch of luxury onboard and guarantees the best possible comfort of living and cruising one can desire. The boat has exceptionally rich

decorative elements, including stainless and chromed parts and wooden decorations with high gloss painted trimmings. Both main deck and fly bridge covered with teak planks. High gloss painted bulwarks and dark hull color in connection with numerous stainless elements onboard, finished with stainless profile rub strake, classic camels and other carefully chosen details add to unusual design of this yacht.
High gloss trimmings inside, noble wooden floors in saloon, wheelhouse, owner's bathroom and corridors in connection with cream color of soft carpet in cabins, luxurious bathrooms accessories, granite bathroom and galley tops, discreetly hidden pop-up TVs in saloon and master cabin as well as other options included as a standard in this version will fully satisfy even demanding gentleman. Safe installed in the master cabin.

Price of the yacht in standard as per the table below is **1.350.000** € net.

14. Equipment specification for different design lines

DECK

Item	Make	Type	Q-ty	Standard	Classic	Royal
Gangway – hydraulic	Opacmare	1402/18	1	N	8 980 €	S
Gangway – manual	Custom	ss / teak	1	S	S	N
Mooring capstans – electric	Maxwell	VC1500 24V	4	N	8 955 €	S
Mooring capstans – manual	Wilmex	70	4	9 450 €	S	N
Windlass	Lofrans	Falkon	1	S	S	S
Anchor chain	Lofrans	12mm	1	S	S	S
Hatch wooden boxes	Custom			N	S	S
Hatches	Foresti & Suardi	550 x 550	4 - 7	4	6	7
Flush hatches	Custom		4	S	S	S
Windows	Custom			S	S	S
Portholes	Hollex		5 - 6	5	5	6
Main anchor	Toplicht	50 kgs	1	S	S	S
Spare anchor	Toplicht	40 kgs	1	S	S	S
Plastic vent cowls	Vetus		8	S	N	N
Plastic vent cowls with wooden dorado boxes	Vetus		8	N	S	N
Chromed vent cowls with wooden dorado boxes	Toplicht		8	N	N	S
Searchlight	DHR	150CB024	1	N	S	S
Mooring fairleads	Custom		8	S	S	S
Mooring cleats	Custom		10	S	S	S
Stormrail stanchions	Custom			S	S	S
Handgrip stanchions	Toplicht			S	S	S
Mast	Custom		1	S	S	S
Tender launching boom & rigging	Custom		1	3 280 €	3 280 €	S
Tender (rowboat)	Samar	Pirania	1	980 €	980 €	S
Tender cradle	Custom	teak	1	490 €	490 €	S
Tender boom capstan	Andersen	12ST	1	780 €	780 €	S
Chain counter	Quick	CHC 1102M	1	N	990 €	S
Windscreen wipers	Vetus	Stainless arms	5	N	S	S
Windscreen wipers	Vetus	Standard arms	5	S	N	N
Bimini set with arches	Custom	ss/teak/ tent	1	N	9 230 €	S
Teak deck (main deck)	Custom	12mm planks		N	S	S
Teak deck (fly bridge)	Custom	12mm planks		N	4 500 €	S
Flybridge benches	Custom	teak	2	S	S	S
Aft benches	Custom	teak	2	N	1 390 €	S
Position lights	Peters + Bey			S	S	S
Trimming – wheelhouse roof	Custom	Teak unpainted		N	S	N
Trimming – window frames	Custom	Teak unpainted		N	S	N
Varnished teak trimming	Epifanes	High gloss		N	N	S
Varnished teak decorations of wheelhouse walls	Epifanes	Satin		N	N	S
Teak bulwark throughout	Custom	Teak unpainted		N	S	N

Varnished teak bulwark	Custom	Epifanes		N	N	S
Wooden rub strake	Custom			N	S	S
Rub strake stainless profile	Custom			N	N	S

MACHINERY

Item	Make	Type	Q-ty	Standard	Classic	Royal
Engines + gearboxes	Yanmar 125HP	4JH3-DTHE	2	S	S	S
Engines + gearboxes	Volvo 180HP	D4-180	2	N	24 000 €	24 000 €
Engine controls – 1 station	Volvo Penta	EVC	1	S	N	N
Engine controls – 2 stations	Volvo Penta	EVC	2	N	S	N
Engine controls – 3 stations	Volvo Penta	EVC	3	N	1 950 €	S
Shaft lines	Amartech		2	S	S	S
Propellers	Amartech	5-bladed	2	S	S	S
Air conditioning *	Dometic	54.000 BTU	1	N	15 560 €	S
Heating	Eberspracher		1	13 420 €	S	N
Generator	Mastervolt	Whisper 16 Ultra	1	N	3 550 €	S
Generator	Fisher Panda	14,7 kW	1	N	S	N
Generator	Fisher Panda	10 kW	1	S	N	N
Bow thruster	Side Power	240TCi	1	N	1 890 €	S
Bow thruster	Vetus	125 kgf	1	S	S	N
Stern thruster *	Side Power	240TCi	1	N	3 790 €	3 790 €
Stabilizers + hydraulic pack **	Naiad		1	N	45 000 €	45 000 €
Funnel & mast lifting system	Gecea	Custom	1	N	3 920 €	S
ER hatch lifting system	Vetus	Custom	1	N	1 990 €	1 990 €
Drinking water pump	Johnson	Aqua Jet Duo	1	S	S	S
Grey water pump	Johnson	Viking Power 16	3	S	S	S
Grey water tank	Johnson	Grey water tank	3	S	S	S
Black water pump	Johnson	Macerator pump	1	S	S	S
Bilge pump	Johnson	F4B-19	2	S	S	S
Bilge pump	Johnson	L4000	4	S	S	S
Deck wash/fire fighting pump	Rheinstrom	6E	2	S	S	S
Diesel transfer pump	Jabsco	23870	1	S	S	S
Main engine exhausts	Vetus	NLP75	2	S	S	S
Generator exhaust	Mastervolt	Delta	1	S	S	S
Fuel filters	Vetus	WS180	3	S	S	S
Watermaker	Schenker	Smart 60	1	N	8 720 €	8 720 €
Watermaker	Idromar		1	N	16 980 €	16 980 €
Watermaker connections	Custom			N	S	S

* Only available with 16kW generator

** Only available with Volvo-Penta D4-180 engines

NAVIGATION & COMMUNICATION

Item	Make	Type	Q-ty	Standard	Classic	Royal
Navigation display	Simrad	CX44-E	1	N	8 300 €	S
Second navigation display	Simrad	CX34	1	N		S
Radar antenna	Simrad	DX60	1	N		S
Instruments	Simrad	IS12 COMBI	1	N		S
VHF	Simrad	RS87	1	N		S
VHF – second manipulator	Simrad		1	N		S
Autopilot	Simrad	AP50	1	N		S
Autopilot control	Simrad	AP51	1	N		S
Junction unit	Simrad	J50	1	N		S
Fluxgate	Simrad	RC25	1	N		S
Rudder feedback	Simrad	RF45X	1	N		S
Control	Simrad	QS50	2	N		S
Autopilot pump	Simrad	RPU300	1	N		S
Rudder angle indicator	Simrad	RI35 Mk II	3	N		S
AIS	Simrad	AI50	1	N		S
Navtex / Weather fax	Furuno	FAX-30	1	N		S
Windmeter	Simrad	IS12 WIND:S	1	N		S

Windmeter additional indicator	Simrad	IS12 WIND:R	1	N		S
GPS	Simrad	GPD	1	N		S
SimNet management	Simrad	RS80	1	N		S
Foghorn	Simrad	EHK80	1	N		S
Navigation display	Raymarine	E120	1	N	S	N
Navigation display	Raymarine	E80	1	S	S	N
Radar antenna	Raymarine	24" 4kW	1	S	S	N
GPS receiver	Raymarine	Raystar 125	1	S	S	N
Instruments	Raymarine	ST60+ Tridata	1	S	S	N
Instruments	Raymarine	ST60+ Repeater	1	N	S	N
Autopilot	Raymarine	ST6002	1	N	S	N
Course computer		S3G	1	N	S	N
Autopilot pump		Raypilot pump	1	N	S	N
VHF		Ray240		S	S	N
VHF second station		Ray240 2nd st.		N	S	N
Magnetic compass	Cassens & Plath	Boots 51		S	S	S
Foghorn	Exalto		1	S	S	N

ELECTRICS

Item	Make	Type	Q-ty	Standard	Classic	Royal
Electric package (switchboards, batteries, inverters, chargers, etc.)	Victron \ BEP			S	S	N
Electric package (switchboards, batteries, inverters, chargers, etc.)	Mastervolt			N	9 000 €	S

INTERIORS

Item	Make	Type	Q-ty	Standard	Classic	Royal
Mahogany combined joinery	According to design line			S	S	S
Upholstery	According to design line			S	S	S
Hardware	Foresti & Suardi			S	S	S
Granite galley top	Custom	Madera Gold		N	N	S
Granite bathroom tops	Custom	Madera Gold		N	N	S
Marble galley top	Custom			N	S	N
Marble bathroom tops	Custom			N	S	N
Staron galley top	Custom			S	N	N
Staron bathroom tops	Custom			S	N	N
Ceramic bathroom washbasins	Kolo	Reflex		3	4	4
Teak gratings in showers	Custom		3	N	S	S
Console leather	Gruppo Mastrott			N	N	S
Pilot seat	Exalto	Dakota 55	1	S	N	N
Pilot seat	Recaro			N	S	S
Water heater	Vetus	WH75	1	S	S	S
Second water heater	Vetus	WH75	1	N	990 €	S
Toilet (Owner)	Tecma	Silence Short	1	S	S	S
Toilet (Guest I & II)	Vetus	WCS	2	S	S	S
Bidet (Owner)	Tecma	Bidet Short	1	N	490 €	S
Bathroom & galley faucets	Armatura Kraków	Retro Classic	3	S	S	S
Bathroom accessories	Colombo Design	Portofino	SET	N	2 990 €	S
Bathroom accessories	Deante		SET	S	S	N
Drinking water faucet/pump	Toplicht	Auckland	1	S	S	S
Masterkey access control	Kaba Gege GmbH	Custom		N	S	S
Switches & sockets	Berker	Modul Plus		S	S	S
Interior lighting	BCM / Palagi			N	S	S
Interior lighting	Vetus			S	N	N

ENTERTAINMENT

Item	Make	Type	Q-ty	Standard	Classic	Royal
TV set (Owner)	Sony	KDL20S4000	1	1 190 €	S	S
Pop-up system	Custom		1	N	1 720 €	S
TV set (Salon)	Sony	KDL26S2010	1	1 290 €	S	S
Pop-up system	Custom		1	N	1 720 €	S
DVD player (Owner)	Sony	MEX-R1	1	820 €	S	S
DVD player (Salon)	Sony	MEX-R1	1	820 €	S	S
CD player (Wheelhouse)	Sony	MEX-BT2500	1	720 €	S	S
Speakers (Owner & Salon)	Canton	InCeiling 500	4	490 €	S	S
Speakers (Wheelhouse)	APart	CM608	2	190 €	S	S
Home theater system	Bose	Lifestyle 18	1	N	3 300 €	3 300 €
TV antenna	Glomex		1	990 €	S	S

DOMESTIC APPLIANCES

Item	Make	Type	Q-ty	Standard	Classic	Royal
Galley hood	Siemens	LI23030	1	790 €	S	S
Ceramic hob 2-burner	Siemens	ET737501	1	S	N	N
Ceramic hob 4-burner			1	N	S	S
Electric oven with microwave	Siemens	HB84K550	1	N	S	S
Fridge	Electrolux	ERN16300	1	S	S	S
Freezer	Electrolux	EUN12300	1	990 €	S	S
Dishwasher	Siemens	ESL46019	1	N	1 490 €	S
Washing machine	Whirlpool	AWG879D	1	1 190 €	1 190 €	S

SAFETY

Item	Make	Type	Q-ty	Standard	Classic	Royal
Liferaft 6-person	Eurovinil	ISO-9650	2	S	S	S
ER Fire extinguishing system	Sea-Fire	FD550M	1	2 490 €	2 490 €	S
ER Automatic engine shut off	Sea-Fire	ESRS VIII	1			
CCTV camera in ER (IR)			1	N	990 €	S
Complete safety pack according to CE rules			1	S	S	S

PAINTING SYSTEM

Item	Make	Type	Q-ty	Standard	Classic	Royal
Interior varnishing	Hesse Lignal	Satin		S	S	N
Interior varnishing	Hesse Lignal	Satin/high gloss		N	3490 €	S
Hull / superstructure paint	International	White		S	N	N
Hull / superstructure paint	International	Dark satin / white		S	N	N
Hull / superstructure paint	International	As preferred		N	N	S
Hull / superstructure paint	AWLGrip	As preferred		N	N	8 990 €
Exterior varnishing	According to chosen design line			N	S	S

All prices given above are net prices.
All equipment and prices contained in this specification are based on the latest product information available at the time of posting. Conrad Shipyard will verify specifications and determine final pricing and availability. This brochure is not a binding offer.